

- [1] Elliott A, Hull L, Conroy S. Frailty identification in the emergency department-a systematic review focussing on feasibility. *Age Ageing*. 2017: 1-5.
- [2] Morgenstern J. UTI: More than you ever wanted to know. *Emergency Medicine Cases*, 2017.
- [3] Mikolaizak AS, Lord SR, Tiedemann A, et al. A multidisciplinary intervention to prevent subsequent falls and health service use following fall-related paramedic care: a randomised controlled trial. *Age Ageing*. 2017;46: 200-207.
- [4] Stagg A, Lutz H, Kirpalaney S, et al. Impact of two-step urine culture ordering in the emergency department: a time series analysis. *BMJ Quality & Safety*. 2017.
- [5] Stevens M, Hastings SN, Markland AD, et al. Enhancing Quality of Provider Practices for Older Adults in the Emergency Department (EQUIPPED). *Journal of the American Geriatrics Society*. 2017;65: 1609-1614.
- [6] NHS England. A&E Attendances and Emergency Admissions 2017-18. 2017.
- [7] Limpawattana P, Phungoen P, Mitsungrern T. Atypical presentations of older adults at the emergency department and associated factors. *Arch Gerontol Geriatr*. 2016 7-102.
- [8] O'Cathain A, Knowles E, Turner J, Hirst E, Goodacre S, Nicholl J. Variation in avoidable emergency admissions: multiple case studies of emergency and urgent care systems. *J Health Serv Res Policy*. 2016;21: 5-14.
- [9] Chamberlain AM, Finney Rutten LJ, Manemann SM, et al. Frailty Trajectories in an Elderly Population-Based Cohort. *Journal of the American Geriatrics Society*. 2016;64: 285-292.
- [10] Wilding L, Eagles D, Molnar F. Prospective validation of the Ottawa 3DY scale by geriatric emergency management nurses to identify impaired cognition in older emergency department patients. *Ann Emerg Med*. 2016: 157-163.
- [11] Bo M, Bonetto M, Bottignole G, et al. Length of Stay in the Emergency Department and Occurrence of Delirium in Older Medical Patients. *Journal of the American Geriatrics Society*. 2016;64: 1114-1119.
- [12] Wallace E, Smith SM, Fahey T, Roland M. Reducing emergency admissions through community based interventions. *BMJ*. 2016;352.
- [13] Rushton C, Crilly J, Adeleye A, Grealish L, Beylacq M, Forbes M. Scoping review of medical assessment units and older people with complex health needs. *Australas J Ageing*. 2016.

- [15] Jay S, Whittaker P, McIntosh J, Hadden N. Can consultant geriatrician led comprehensive geriatric assessment in the emergency department reduce hospital admission rates? A systematic review. *Age and Ageing*. 2016.
- [16] Conroy SP, Turpin S. New horizons: urgent care for older people with frailty. *Age Ageing*. 2016;45: 577-584.
- [17] Romero-Ortuno R, Wallis S, Biram R, Keevil V. Clinical frailty adds to acute illness severity in predicting mortality in hospitalized older adults: An observational study. *Eur J Intern Med*. 2016;35: 24-34.
- [18] Middelkoop SJ, van Pelt LJ, Kampinga GA, Ter Maaten JC, Stegeman CA. Routine tests and automated urinalysis in patients with suspected urinary tract infection at the ED. *American Journal of Emergency Medicine*. 2016;34: 1528-1534.
- [19] Limpawattana P, Phungoen P, Mitsungrern T, Laosuangkoon W, Tansangworn N. Atypical presentations of older adults at the emergency department and associated factors. *Archives of Gerontology & Geriatrics*. 2016;62: 97-102.
- [20] Zozula A, Carpenter CR, Lipsey K, Stark S. Prehospital emergency services screening and referral to reduce falls in community-dwelling older adults: a systematic review. *Emergency Medicine Journal*. 2016;33: 345-350.
- [21] Buswell M, Lumbard P, Prothero L, et al. Unplanned, urgent and emergency care: what are the roles that EMS plays in providing for older people with dementia? An integrative review of policy, professional recommendations and evidence. *Emergency Medicine Journal*. 2016;33: 61-70.
- [22] Martin S, Street A, Han L, Hutton J. Have hospital readmissions increased in the face of reductions in length of stay? Evidence from England. *Health Policy*. 2016;120: 89-99.
- [23] Gabayan GZ, Sarkisian CA, Liang L-J, Sun BC. Predictors of Admission After Emergency Department Discharge in Older Adults. *Journal of the American Geriatrics Society*. 2015;63: 39-45.
- [24] Costa AP, Hirdes JP, Bell CM, et al. Derivation and Validation of the Detection of Indicators and Vulnerabilities for Emergency Room Trips Scale for Classifying the Risk of Emergency Department Use in Frail Community-Dwelling Older Adults. *Journal of the American Geriatrics Society*. 2015;63: 763-769.
- [25] Provencher V, Sirois M-J, Ouellet M-C, et al. Decline in Activities of Daily Living After a Visit to a Canadian Emergency Department for Minor Injuries in Independent Older Adults: Are Frail Older Adults with Cognitive Impairment at Greater Risk? *Journal of the American Geriatrics Society*. 2015;63: 860-868.

- [26] Stevens MB, Hastings SN, Powers J, et al. Enhancing the Quality of Prescribing Practices for Older Veterans Discharged from the Emergency Department (EQUIPPED): Preliminary Results from Enhancing Quality of Prescribing Practices for Older Veterans Discharged from the Emergency Department, a Novel Multicomponent Interdisciplinary Quality Improvement Initiative. *Journal of the American Geriatrics Society*. 2015;63: 1025-1029.
- [27] Conway J, Dilworth S, Hullick C, Hewitt J, Turner C, Higgins I. A multi-organisation aged care emergency service for acute care management of older residents in aged care facilities. *Aust Health Rev*. 2015.
- [28] Pinnock H, Epiphaniou E, Pearce G, et al. Implementing supported self-management for asthma: a systematic review and suggested hierarchy of evidence of implementation studies. *BMC Medicine*. 2015;13.
- [29] Fry M, Chenoweth L, MacGregor C, Arendts G. Emergency nurses perceptions of the role of family/carers in caring for cognitively impaired older persons in pain: A descriptive qualitative study. *International Journal of Nursing Studies*. 2015;52: 1323-1331.
- [30] Yao J-L, Fang J, Lou Q-Q, Anderson RM. A systematic review of the identification of seniors at risk (ISAR) tool for the prediction of adverse outcome in elderly patients seen in the emergency department. *International Journal of Clinical and Experimental Medicine*. 2015;8: 4778-4786.
- [31] Yin P, Kiss A, Leis JA. Urinalysis orders among patients admitted to the general medicine service. *JAMA Internal Medicine*. 2015.
- [32] Carpenter CR, Shelton E, Fowler S, et al. Risk factors and screening instruments to predict adverse outcomes for undifferentiated older emergency department patients: a systematic review and meta-analysis. *Acad Emerg Med*. 2015;22: 1-21.
- [33] Fan L, Lukin W, Zhao J, Sun J, Hou X-Y. Interventions targeting the elderly population to reduce emergency department utilisation: a literature review. *Emergency Medicine Journal*. 2015;32: 738-743.
- [34] Boden DG, Agarwal A, Hussain T, et al. Lowering levels of bed occupancy is associated with decreased in-hospital mortality and improved performance on the 4-hour target in a UK District General Hospital. *Emergency Medicine Journal*. 2015.
- [35] Cooper Z, Scott JW, Rosenthal RA, Mitchell SL. Emergency Major Abdominal Surgical Procedures in Older Adults: A Systematic Review of Mortality and Functional Outcomes. *Journal of the American Geriatrics Society*. 2015: n/a-n/a.

- [36] Lowthian J, Mcginnes R, Brand C, Barker A, Cameron P. Discharging older patients from the emergency department effectively: a systematic review and meta-analysis. *Age Ageing*. 2015: 761-770.
- [37] Turner J, Coster J, Chambers D, Cantrell A, Phung V-H, Knowles E. What evidence is there on the effectiveness of different models of delivering urgent care? A rapid review. *Health Serv Deliv Res*. 2015;3.
- [38] Milisen K, Devriendt E, Heeren P, et al. Effectiveness of comprehensive geriatric assessment based interventions in the emergency department: a systematic review and meta-analysis. *PROSPERO* 2015, 2015.
- [39] Murphy K, Mann C. *Time to Act – Urgent Care and A&E: the patient perspective*. London: Royal College of Emergency Medicine & The Patients Association, 2015.
- [40] Soong J, Poots AJ, Scott S, Donald K, Bell D. Developing and validating a risk prediction model for acute care based on frailty syndromes. *BMJ Open*. 2015;5.
- [41] Wallis SJ, Wall J, Biram RW, Romero-Ortuno R. Association of the clinical frailty scale with hospital outcomes. *QJM*. 2015;108: 943-949.
- [42] Dwyer R, Stoelwinder J, Gabbe B, Lowthian J. Unplanned Transfer to Emergency Departments for Frail Elderly Residents of Aged Care Facilities: A Review of Patient and Organizational Factors. *Journal of the American Medical Directors Association*. 2015;16: 551-562.
- [43] Platts-Mills TF, Owens ST, McBride JM. A Modern-Day Purgatory: Older Adults in the Emergency Department with Nonoperative Injuries. *Journal of the American Geriatrics Society*. 2014: n/a-n/a.
- [44] Carpenter CR, Bromley M, Caterino JM, et al. Optimal Older Adult Emergency Care: Introducing Multidisciplinary Geriatric Emergency Department Guidelines from the American College of Emergency Physicians, American Geriatrics Society, Emergency Nurses Association, and Society for Academic Emergency Medicine. *Journal of the American Geriatrics Society*. 2014: n/a-n/a.
- [45] Huntley A, Lasserson D, Wye L, et al. Which features of primary care affect unscheduled secondary care use? A systematic review. *BMJ Open*. 2014;4: e004746.
- [46] Vicente V, Svensson L, Wireklint Sundström B, Sjöstrand F, Castren M. Randomized Controlled Trial of a Prehospital Decision System by Emergency Medical Services to Ensure Optimal Treatment for Older Adults in Sweden. *Journal of the American Geriatrics Society*. 2014: n/a-n/a.

- [47] Aldeen AZ, Courtney DM, Lindquist LA, Dresden SM, Gravenor SJ, the G-WI. Geriatric Emergency Department Innovations: Preliminary Data for the Geriatric Nurse Liaison Model. *Journal of the American Geriatrics Society*. 2014;62: 1781-1785.
- [48] Dhalla IA, O'Brien T, Morra D, et al. Effect of a postdischarge virtual ward on readmission or death for high-risk patients: A randomized clinical trial. *Jama*. 2014;312: 1305-1312.
- [49] Deasey D, Kable A, Jeong S. Influence of nurses' knowledge of ageing and attitudes towards older people on therapeutic interactions in emergency care: A literature review. *Australasian Journal on Ageing*. 2014;33: 229-236.
- [50] Buswell M, Lumbard P, Prothero L, et al. Unplanned, urgent and emergency care: what are the roles that EMS plays in providing for older people with dementia? An integrative review of policy, professional recommendations and evidence. *Emerg Med J*. 2014.
- [51] Ellis G, Marshall T, Ritchie C. Comprehensive geriatric assessment in the emergency department. *Clinical Interventions In Aging*. 2014;9: 2033-2043.
- [52] Geriatric Emergency Department Guidelines. *Annals of Emergency Medicine*. 2014;63: e7-e25.
- [53] Hogan TM, Hansoti B, Chan SB. Assessing knowledge base on geriatric competencies for emergency medicine residents. *West J Emerg Med*. 2014;15: 409-413.
- [54] Stall N, Nowaczynski M, Sinha SK. Systematic Review of Outcomes from Home-Based Primary Care Programs for Homebound Older Adults. *Journal of the American Geriatrics Society*. 2014;62: 2243-2251.
- [55] Whittamore KH, Goldberg SE, Bradshaw LE, Harwood RH, the Medical Crises in Older People Study G. Factors Associated with Family Caregiver Dissatisfaction with Acute Hospital Care of Older Cognitively Impaired Relatives. *Journal of the American Geriatrics Society*. 2014;62: 2252-2260.
- [56] Vetrano DL, Landi F, De Buyser SL, et al. Predictors of length of hospital stay among older adults admitted to acute care wards: a multicentre observational study. *Eur J Intern Med*. 2014;25: 56-62.
- [57] Silvester KM, Mohammed MA, Harriman P, Girolami A, Downes TW. Timely care for frail older people referred to hospital improves efficiency and reduces mortality without the need for extra resources. *Age and Ageing*. 2014;43: 472-477.

- [58] Han JH, Wilson A, Graves AJ, et al. Validation of the Confusion Assessment Method for the Intensive Care Unit in Older Emergency Department Patients. *Academic Emergency Medicine*. 2014;21: 180-187.
- [59] Grossmann F, Hasemann W, Graber A, Bingisser R, Kressig R, Nickel C. Screening, detection and management of delirium in the emergency department - a pilot study on the feasibility of a new algorithm for use in older emergency department patients: the modified Confusion Assessment Method for the Emergency Department (mCAM-ED). *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. 2014;22: 19.
- [60] Misch F, Messmer AS, Nickel CH, et al. Impact of Observation on Disposition of Elderly Patients Presenting to Emergency Departments with Non-Specific Complaints. *PLoS ONE*. 2014;9: e98097.
- [61] Wright PN, Tan G, Iliffe S, Lee D. The impact of a new emergency admission avoidance system for older people on length of stay and same-day discharges. *Age Ageing*. 2014;43: 116-121.
- [62] Foo CL, Siu VWY, Ang H, Phuah MWL, Ooi CK. Risk stratification and rapid geriatric screening in an emergency department – a quasi-randomised controlled trial. *BMC Geriatrics*. 2014;14: 98-98.
- [63] Argento V, Calder G, Ferrigno R, Skudlarska B. Geriatric emergency medicine service: a novel approach to an emerging trend. *Conn Med*. 2014;78: 339-343.
- [64] Hughes C, Laghi L, Wyrko Z. Experience of the 'Older Persons Assessment and Liaison (OPAL)' service in a teaching hospital in Birmingham, UK *European Union Geriatric Medicine Society, Volume 5: European Geriatric Medicine 2014*, pp. S248
- [65] Gieteling E, van de Leur JJ, Stegeman CA, Groeneveld PH. Accurate and fast diagnostic algorithm for febrile urinary tract infections in humans. *Netherlands Journal of Medicine*. 2014;72: 356-362.
- [66] Shah MN, Morris D, Jones CMC, et al. A Qualitative Evaluation of a Telemedicine-Enhanced Emergency Care Program for Older Adults. *Journal of the American Geriatrics Society*. 2013: n/a-n/a.
- [67] Jones CW, Hunold KM, Isaacs CG, Platts-Mills TF. Randomized trials in emergency medicine journals, 2008 to 2011. *The American Journal of Emergency Medicine*. 2013;31: 231-235.
- [68] Bardsley M, Blunt I, Davies S, Dixon J. Is secondary preventive care improving? Observational study of 10-year trends in emergency admissions for conditions amenable to ambulatory care. *BMJ Open*. 2013;3.

- [69] Schnitker L, Martin-Khan M, Beattie E, Gray L. What is the Evidence to Guide Best Practice for the Management of Older People With Cognitive Impairment Presenting to Emergency Departments? A Systematic Review. *Advanced Emergency Nursing Journal* April/June. 2013;35: 154-169.
- [70] Launay C, Annweiler C, de Decker L, Kabeshova A, Beauchet O. Early Hospital Discharge of Older Adults Admitted to the Emergency Department: Effect of Different Types of Recommendations Made by a Mobile Geriatric Team. *Journal of the American Geriatrics Society*. 2013;61: 1031-1033.
- [71] Briggs R, Coughlan T, Collins R, O'Neill D, Kennelly SP. Nursing home residents attending the emergency department: clinical characteristics and outcomes. *Qjm*. 2013.
- [72] Mikolaizak AS, Simpson PM, Tiedemann A, Lord SR, Close JC. Systematic review of non-transportation rates and outcomes for older people who have fallen after ambulance service call-out. *Australas J Ageing*. 2013;32: 147-157.
- [73] Morgan SR, Chang AM, Alqatari M, Pines JM. Non-Emergency Department Interventions to Reduce ED Utilization: A Systematic Review  
Intervenciones al Margen del Servicio de Urgencias (SU) para Reducir el Uso del SU: Una Revisión Sistemática. *Academic Emergency Medicine*. 2013;20: 969-985.
- [74] NHS England. High quality care for all, now and for future generations: Transforming urgent and emergency care services in England - Urgent and Emergency Care Review End of Phase 1. London: NHS England, 2013.
- [75] Carter EJ, Pouch SM, Larson EL. The Relationship Between Emergency Department Crowding and Patient Outcomes: A Systematic Review. *J Nurs Scholarsh*. 2013;46: 106-115.
- [76] Lamantia MA, Messina FC, Hobgood CD, Miller DK. Screening for Delirium in the Emergency Department: A Systematic Review. *Ann Emerg Med*. 2013.
- [77] Singh I, Ramakrishna S, Williamson K. The Rapid Assessment Interface and Discharge service and its implications for patients with dementia. *Clin Interv Aging*. 2013;8: 1101-1108.
- [78] Pareja-Sierra T, Hornillos-Calvo M, Solís JR, et al. Implementation of an Emergency Department Observation Unit for Elderly Adults in a University-Affiliated Hospital in Spain: A 6-Year Analysis of Data. *Journal of the American Geriatrics Society*. 2013;61: 1621-1622.

- [79] Hippisley-Cox J, Coupland C. Predicting risk of emergency admission to hospital using primary care data: derivation and validation of QAdmissions score. *BMJ Open*. 2013;3.
- [80] Beauchet O, Launay CP, Fantino B, Lerolle N, Maunoury F, Annweiler C. Screening for elderly patients admitted to the emergency department requiring specialized geriatric care. *J Emerg Med*. 2013;45: 739-745.
- [81] Conroy SP, Ansari K, Williams M, et al. A controlled evaluation of comprehensive geriatric assessment in the emergency department: the 'Emergency Frailty Unit'. *Age and Ageing*. 2013.
- [82] Shankar KN, Bhatia BK, Schuur JD. Toward Patient-Centered Care: A Systematic Review of Older Adults' Views of Quality Emergency Care. *Ann Emerg Med*. 2013.
- [83] Han JH, Wilson A, Vasilevskis EE, et al. Diagnosing delirium in older emergency department patients: validity and reliability of the delirium triage screen and the brief confusion assessment method. *Ann Emerg Med*. 2013;62:457-465.
- [84] Gordon LB, Waxman MJ, Ragsdale L, Mermel LA. Overtreatment of presumed urinary tract infection in older women presenting to the emergency department. *J Am Geriatr Soc*. 2013;61: 788-792.
- [85] Jones S, Wallis P. Effectiveness of a geriatrician in the emergency department in facilitating safe admission prevention of older patients. *Clinical Medicine*. 2013;13: 561-564.
- [86] Bradshaw LE, Goldberg SE, Lewis SA, et al. Six-month outcomes following an emergency hospital admission for older adults with co-morbid mental health problems indicate complexity of care needs. *Age and Ageing*. 2013;42: 582-588.
- [87] Biber R, Bail HJ, Sieber C, Weis P, Christ M, Singler K. Correlation between age, emergency department length of stay and hospital admission rate in emergency department patients aged  $\geq 70$  years. *Gerontology*. 2013;59: 17-22.
- [88] Barron E, Holmes J. Delirium within the emergency care setting, occurrence and detection: a systematic review. *Emerg Med J*. 2013: 263-268.
- [89] Meister L, Morley EJ, Scheer D, Sinert R. History and physical examination plus laboratory testing for the diagnosis of adult female urinary tract infection. *Academic Emergency Medicine*. 2013;20: 631-645.
- [90] Carpenter CR, Platts-Mills TF. Evolving prehospital, emergency department, and "inpatient" management models for geriatric emergencies. *Clinics in Geriatric Medicine*. 2013;29: 31-47.



- [91] Graf CE, Giannelli SV, Herrmann FR, et al. Can We Improve the Detection of Old Patients at Higher Risk for Readmission After An Emergency Department Visit? *Journal of the American Geriatrics Society*. 2012;60: 1372-1373.
- [92] McCusker J, Verdon J, Vadeboncoeur A, et al. The Elder-Friendly Emergency Department Assessment Tool: Development of a Quality Assessment Tool for Emergency Department–Based Geriatric Care. *Journal of the American Geriatrics Society*. 2012;60: 1534-1539.
- [93] Imison C, Poteliakhoff E, Thompson J. Older people and emergency bed use. Exploring variation. Ideas that change helathcare. London: The King's Fund, 2012.
- [94] Clevenger CK, Chu TA, Yang Z, Hepburn KW. Clinical Care of Persons with Dementia in the Emergency Department: A Review of the Literature and Agenda for Research. *Journal of the American Geriatrics Society*. 2012;60: 1742-1748.
- [95] Shah MN, Swanson PA, Nobay F, Peterson L-KN, Caprio TV, Karuza J. A Novel Internet-Based Geriatric Education Program for Emergency Medical Services Providers. *Journal of the American Geriatrics Society*. 2012;60: 1749-1754.
- [96] Salvi F, Morichi V, Grilli A, et al. Screening for frailty in elderly emergency department patients by using the Identification of Seniors At Risk (ISAR). *Journal of Nutrition, Health & Aging*. 2012;16: 313-318.
- [97] Di Bari M, Salvi F, Roberts AT, et al. Prognostic stratification of elderly patients in the emergency department: a comparison between the "Identification of Seniors at Risk" and the "Silver Code". *Journals of Gerontology Series A-Biological Sciences & Medical Sciences*. 2012;67: 544-550.
- [98] D'Arcy LP, Stearns SC, Domino ME, Hanson LC, Weinberger M. Is Geriatric Care Associated with Less Emergency Department Use? *Journal of the American Geriatrics Society*. 2012: n/a-n/a.
- [99] Mason S, O'Keeffe C, Knowles E, et al. A pragmatic quasi-experimental multi-site community intervention trial evaluating the impact of Emergency Care Practitioners in different UK health settings on patient pathways (NEECaP Trial). *Emergency Medicine Journal*. 2012;29: 47-53.
- [100] Banerjee J, Bengner J, Trembl J, et al. The National Falls and Bone Health Audit: implications for UK emergency care. *Emergency Medicine Journal*. 2012;29: 830-832.
- [101] Cotter PE, Bhalla VK, Wallis SJ, Biram RW. Predicting readmissions: poor performance of the LACE index in an older UK population. *Age Ageing*. 2012;41: 784-789.

- [102] Foo CL, Siu VWY, Tan TL, Ding YY, Seow E. Geriatric assessment and intervention in an emergency department observation unit reduced re-attendance and hospitalisation rates. *Australasian Journal on Ageing*. 2012;31: 40-46.
- [103] Goldberg SE, Whittamore KH, Harwood RH, Bradshaw LE, Gladman JRF, Jones RG. The prevalence of mental health problems among older adults admitted as an emergency to a general hospital. *Age and Ageing*. 2012;41: 80-86.
- [104] Sach TH, Logan PA, Coupland CAC, et al. Community falls prevention for people who call an emergency ambulance after a fall: an economic evaluation alongside a randomised controlled trial. *Age and Ageing*. 2012;41: 635-641.
- [105] Banerjee J, Conroy S. *The Silver Book: quality care for older people with urgent & emergency care needs*. London, 2012.
- [106] Wiler J, Handel D, Ginde A, et al. Predictors of patient length of stay in 9 emergency departments. *The American journal of emergency medicine*. 2012;30: 1860-1864.
- [107] Tian Y, Dixon A, Gao H. Emergency hospital admissions for ambulatory care-sensitive conditions: identifying the potential for reductions. In: Fund Ks, ed. *Data Briefing*. London: King's Fund, 2012.
- [108] Roland M, Lewis R, Steventon A, et al. Case management for at-risk elderly patients in the English integrated care pilots: observational study of staff and patient experience and secondary care utilisation. *Int J Integr Care*. 2012;12: e130.
- [109] Roland M, Abel G. Reducing emergency admissions: are we on the right track? *BMJ*. 2012;345.
- [110] Clift EL. Innovative ED older persons' care: a report on an initiative developed in Southampton Hospital ED. *Int Emerg Nurs*. 2012;20: 201-206.
- [111] Beirne A, Carey T, O'Keeffe J, et al. The role of geriatric medicine in the emergency department. *Irish Journal of Medical Science*, Volume 181, 2012, pp. S254.
- [112] Boughellam A, Wilson F, Morgan J, et al. Audit of patients catheterised in AMU. *AGE AND AGEING*. 2011;40: i1-i80.
- [113] Bankart MJ, Baker R, Rashid A, et al. Characteristics of general practices associated with emergency admission rates to hospital: a cross-sectional study. *Emerg Med J*. 2011.
- [114] Baker R, Bankart MJ, Rashid A, et al. Characteristics of general practices associated with emergency-department attendance rates: a cross-sectional study. *BMJ Quality & Safety*. 2011.

- [115] Conroy SP, Stevens T, Parker SG, Gladman JRF. A systematic review of comprehensive geriatric assessment to improve outcomes for frail older people being rapidly discharged from acute hospital: 'interface geriatrics'. *Age and Ageing*. 2011;40: 436-443.
- [116] Jayadevappa R. Quality of Emergency Department Care for Elderly. *Emergency Medicine*. 2011;1: e107.
- [117] Harwood R, Goldberg S, Whittamore K, et al. Evaluation of a Medical and Mental Health Unit compared with standard care for older people whose emergency admission to an acute general hospital is complicated by concurrent 'confusion': a controlled clinical trial. *Trials*. 2011: 123.
- [118] Banerjee J, Bengler J, Treml J, et al. The National Falls and Bone Health Audit: implications for UK emergency care. *Emerg Med J*. 2011.
- [119] Buurman BM, van den Berg W, Korevaar JC, Milisen K, de Haan RJ, de Rooij SE. Risk for poor outcomes in older patients discharged from an emergency department: feasibility of four screening instruments. *European Journal of Emergency Medicine*. 2011;18: 215-220.
- [120] Yim V, Rainer T, Graham C, et al. Emergency department intervention for high-risk elders: identification strategy and randomised controlled trial to reduce hospitalisation and institutionalisation. *Hong Kong Med J*. 2011;17
- [121] Leiblich A, Mason S. The emergency management of minor head injury in anticoagulated patients: a literature review. *Emergency Medicine Journal*. 2011: 115-118.
- [122] Carpenter CR, Heard K, Wilber S, et al. Research priorities for high-quality geriatric emergency care: medication management, screening, and prevention and functional assessment. *Acad Emerg Med*. 2011;18: 644-654.
- [123] Shah MN, Jones CMC, Richardson TM, Conwell Y, Katz P, Schneider SM. Prevalence of depression and cognitive impairment in older adult emergency medical services patients. *Prehospital Emergency Care*. 2011;15: 4-11.
- [124] Parke B, Beath, A., Slater, L., Clarke, AM. Contextual factors influencing success or failure of emergency department interventions for cognitively impaired older people: a scoping and integrative review. *Journal of Advanced Nursing*. 2011;67: 1426-1448.
- [125] Han JH, Bryce SN, Ely EW, et al. The Effect of Cognitive Impairment on the Accuracy of the Presenting Complaint and Discharge Instruction Comprehension in Older Emergency Department Patients. *Annals of emergency medicine*. 2011;57: 662-671.e662.

- [126] Carpenter CR, Bassett ER, Fischer GM, Shirshekan J, Galvin JE, Morris JC. Four sensitive screening tools to detect cognitive dysfunction in geriatric emergency department patients: brief Alzheimer's Screen, Short Blessed Test, Ottawa 3DY, and the caregiver-completed AD8. *Acad Emerg Med.* 2011;18: 374-384.
- [127] Ellis G, Whitehead MA, Robinson D, O'Neill D, Langhorne P. Comprehensive geriatric assessment for older adults admitted to hospital: meta-analysis of randomised controlled trials. *BMJ.* 2011;343.
- [128] Biese KJ, Roberts E, LaMantia M, et al. Effect of a geriatric curriculum on emergency medicine resident attitudes, knowledge, and decision-making. *Acad Emerg Med.* 2011;18 Suppl 2: S92-96.
- [129] Ellis G, Whitehead MA, O'Neill D, Langhorne P, Robinson D. Comprehensive geriatric assessment for older adults admitted to hospital. *Cochrane Database of Systematic Reviews.* 2011.
- [130] Nemec M, Koller M, Nickel C. Patients presenting to the emergency department with non-specific complaints: the Basel Non-specific Complaints (BANC) study. *Acad Emerg Med.* 2010 17: 284-292.
- [131] Blunt I, Bardsley M, Dixon J. Trends in emergency admissions in England 2004 - 2009: is greater efficiency breeding inefficiency? London: Nuffield Trust, 2010.
- [132] Russell MA, Hill KD, Day LM, et al. A Randomized Controlled Trial of a Multifactorial Falls Prevention Intervention for Older Fallers Presenting to Emergency Departments. *Journal of the American Geriatrics Society.* 2010;58: 2265-2274.
- [133] Ferguson C, Woodard J, Banerjee J, Conroy S. Operationalising frailty definitions in the emergency department - a mapping exercise. *Age Ageing.* 2010;39: i7.
- [134] Arendts G, Howard K. The interface between residential aged care and the emergency department: a systematic review. *Age and Ageing.* 2010;39: 306-312.
- [135] Logan PA, Coupland CAC, Gladman JRF, et al. Community falls prevention for people who call an emergency ambulance after a fall: randomised controlled trial. *BMJ.* 2010;340.
- [136] Braes T, Moons P, Lipkens P, et al. Screening for risk of unplanned readmission in older patients admitted to hospital: predictive accuracy of three instruments. *Aging-Clinical & Experimental Research.* 2010;22: 345-351.
- [137] Samaras N, Chevalley T, Samaras D, Gold G. Older patients in the emergency department: a review. *Annals of Emergency Medicine.* 2010;56: 261-269.

- [138] Prendergast HM, Jurivich D, Edison M, Bunney EB, Williams J, Schlichting A. Preparing the front line for the increase in the aging population: geriatric curriculum development for an emergency medicine residency program. *J Emerg Med.* 2010;38: 386-392.
- [139] Hogan TM, Losman ED, Carpenter CR, et al. Development of geriatric competencies for emergency medicine residents using an expert consensus process. *Acad Emerg Med.* 2010;17: 316-324.
- [140] Shapiro NI, Fisher C, Donnino M, et al. The Feasibility and Accuracy of Point-of-Care Lactate Measurement in Emergency Department Patients with Suspected Infection. *The Journal of Emergency Medicine.* 2010;39: 89-94.
- [141] Chan EW, Taylor SE, Marriott J, Barger B. An intervention to encourage ambulance paramedics to bring patients' own medications to the ED: impact on medications brought in and prescribing errors. *Emerg Med Australas.* 2010;22: 151-158.
- [142] Han JH, Wilson A, Ely EW. Delirium in the Older Emergency Department Patient – A Quiet Epidemic. *Emergency medicine clinics of North America.* 2010;28: 611-631.
- [143] Han J, Shintani A, Eden S, et al. Delirium in the Emergency Department: an Independent Predictor of Death Within Six Months. *Ann Emerg Med.* 2010;56: 244-252.
- [144] Mohammed MA, Deeks JJ, Girling A, et al. Evidence of methodological bias in hospital standardised mortality ratios: retrospective database study of English hospitals. *BMJ.* 2009;338: b780-.
- [145] Mitchell SL, Teno JM, Kiely DK, et al. The Clinical Course of Advanced Dementia. *N Engl J Med.* 2009;361: 1529-1538.
- [146] Ferguson C, Woodard J, Banerjee J, Conroy S. Operationalising frailty definitions in the emergency department - a mapping exercise. *The Journal of Nutrition, Health and Ageing.* 2009;13
- [147] Perry J, Eagles D, Clement C, et al. International Survey of Emergency Physicians' Current Practice for Acute Headache and the Need for a Clinical Decision Rule. *Canadian Journal of Emergency Medicine.* 2009;11: 516-552.
- [148] Scott I, Vaughan L, Bell D. Effectiveness of acute medical units in hospitals: a systematic review. *International Journal for Quality in Health Care.* 2009;21: 397-407.
- [149] Dixon S, Mason S, Knowles E, et al. Is it cost effective to introduce paramedic practitioners for older people to the ambulance service? Results of a cluster randomised controlled trial. *Emergency Medicine Journal.* 2009;26: 446-451.

- [150] Sampson EL, Blanchard MR, Jones L, Tookman A, King M. Dementia in the acute hospital: prospective cohort study of prevalence and mortality. *The British Journal of Psychiatry*. 2009;195: 61-66.
- [151] Ingarfield SL, Finn JC, Jacobs IG, et al. Use of emergency departments by older people from residential care: a population based study. *Age and Ageing*. 2009;38: 314-318.
- [152] EuSEM Task Force on Curriculum. *European Curriculum for Emergency Medicine*. Brussels: European Society for Emergency Medicine, UEMS Multidisciplinary Joint Committee on Emergency Medicine, 2009.
- [153] Terrell KM, Hustey FM, Hwang U, Gerson LW, Wenger NS, Miller DK. Quality indicators for geriatric emergency care. *Acad Emerg Med*. 2009;16: 441-449.
- [154] Bernstein S, Aronsky D, Duseja R, et al. The effect of emergency department crowding on clinically oriented outcomes. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine*. 2009;16: 1-10.
- [155] Pines J, Pollack C, Diercks D, Chang AM, Shofer F, Hollander J. The association between emergency department crowding and adverse cardiovascular outcomes in patients with chest pain. *Academic emergency medicine*. 2009;16: 617-625.
- [156] Fealy G, McCarron M, O'Neill D, et al. Effectiveness of gerontologically informed nursing assessment and referral interventions for older persons attending the emergency department: systematic review. *Journal of Advanced Nursing*. 2009;65: 934-945.
- [157] Han JH, Zimmerman EE, Cutler N, et al. Delirium in older emergency department patients: recognition, risk factors, and psychomotor subtypes. *Acad Emerg Med*. 2009;16: 193-200.
- [158] Eagles D, Stiell I, Clement C, et al. International Survey of Emergency Physicians' Awareness and Use of the Canadian C-Spine Rule and the Canadian CT Head Rule. *Academic Emergency Medicine*. 2008 15: 1256-1261.
- [159] Lee JS, Schwindt G, Langevin M, et al. Validation of the Triage Risk Stratification Tool to Identify Older Persons at Risk for Hospital Admission and Returning to the Emergency Department. *Journal of the American Geriatrics Society*. 2008;56: 2112-2117.
- [160] Salvi F, Morichi V, Grilli A, et al. A Geriatric Emergency Service for Acutely Ill Elderly Patients: Pattern of Use and Comparison with a Conventional Emergency Department in Italy. *Journal of the American Geriatrics Society*. 2008;56: 2131-2138.

- [161] Conroy S. Emergency room geriatric assessment--urgent, important or both? *Age Ageing*. 2008: afn215.
- [162] Ngian VJJ, Ong BS, O'Rourke F, Nguyen HV, Chan DKY. Review of a rapid geriatric medical assessment model based in emergency department. *Age Ageing*. 2008;37: 696-699.
- [163] Shepperd S, Doll H, Angus R, et al. Admission avoidance hospital at home. *Cochrane Database of Systematic Reviews Issue 4*, 2008.
- [164] Roberts D, McKay M, Shaffer A. Increasing rates of emergency department visits for elderly patients in the United States, 1993 to 2003. *Ann Emerg Med*. 2008;51: 769-774.
- [165] Laniece I, Couturier P, Drame M, et al. Incidence and main factors associated with early unplanned hospital readmission among French medical inpatients aged 75 and over admitted through emergency units. *Age Ageing*. 2008;37: 416-422.
- [166] Leslie AW, Michael AF, Eliezer JS, Sharon KI. The Confusion Assessment Method: A Systematic Review of Current Usage. *Journal of the American Geriatrics Society*. 2008;56: 823-830.
- [167] Perry M, Draskovic I, van Achterberg T, et al. Can an EASYcare based dementia training programme improve diagnostic assessment and management of dementia by general practitioners and primary care nurses? The design of a randomised controlled trial. *BMC Health Services Research*. 2008;8: 71.
- [168] Gates S, Fisher J, Cooke M. Multifactorial assessment and targeted intervention for preventing falls and injuries among older people in community and emergency care settings: systematic review and meta-analysis. *British Medical Journal*. 2008: 130-133.
- [169] Zerdevas P, Dobson C. Emergency readmission rates: further analysis. London: Department of Health, 2008.
- [170] Bullard MJ, Unger B, Spence J, Grafstein E. Revisions to the Canadian Emergency Department Triage and Acuity Scale (CTAS) adult guidelines. *CJEM*. 2008;10: 136-151.
- [171] Ellis J. Carer-driven dementia education for professionals. *Nursing Older People*. 2008;20: 35-39; quiz 40.
- [172] Dellinger RP, Levy MM, Carlet JM, et al. Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock: 2008. *Crit Care Med*. 2008;36: 296-327.
- [173] Grafstein E, Bullard M, Warren D, Unger B. The CTAS National Working Group Revision of the Canadian Emergency Department Information System (CEDIS)

Presenting Complaint List Version 1.1. . Canadian Journal of Emergency Medicine. 2008: 151–161.

[174] Dizon DS, Gass JS, Bandera C, Weitzen S, Clark M. Does one person provide it all? Primary support and advanced care planning for women with cancer. *Journal of Clinical Oncology*. 2007;25: 1412-1416.

[175] Gravelle H, Dusheiko M, Sheaff R, et al. Impact of case management (Evercare) on frail elderly patients: controlled before and after analysis of quantitative outcome data.[see comment]. *BMJ*. 2007;334: 31.

[176] Carpenter I, Bobby J, Kulinskaya E, Seymour G. People admitted to hospital with physical disability have increased length of stay: implications for diagnosis related group re-imburement in England. *Age Ageing*. 2007;36: 73-78.

[177] Mason S, Knowles E, Colwell B, et al. Effectiveness of paramedic practitioners in attending 999 calls from elderly people in the community: cluster randomised controlled trial. *BMJ*. 2007: bmj.39343.649097.649055.

[178] Hwang U, Morrison RS. The geriatric emergency department. *Journal of the American Geriatrics Society*. 2007;55: 1873-1876.

[179] Shah MN, Bazarian JJ, Lerner EB, et al. The epidemiology of emergency medical services use by older adults: an analysis of the National Hospital Ambulatory Medical Care Survey. *Academic Emergency Medicine*. 2007;14: 441-447.

[180] Counsell SR, Callahan CM, Clark DO, et al. Geriatric Care Management for Low-Income Seniors: A Randomized Controlled Trial. *JAMA*. 2007;298: 2623-2633.

[181] National Confidential Enquiry into Patient Outcome and Death. *Emergency Admissions: A journey in the right direction?* London, 2007.

[182] Gravelle H, Dusheiko M, Sheaff R, et al. Impact of case management (Evercare) on frail elderly patients: controlled before and after analysis of quantitative outcome data. *BMJ*. 2007;334: 31-.

[183] Moloney ED, Bennett K, Silke B. Effect of an acute medical admission unit on key quality indicators assessed by funnel plots. *Postgraduate Medical Journal*. 2007;83: 659-663.

[184] Pines J, Localio R, Hollander J, et al. The impact of emergency department crowding measures on time to antibiotics for patients with community-acquired pneumonia. *Annals of emergency medicine*. 2007;50: 510-516.

[185] Pines JM, Garson C, Baxt WG, Rhodes KV, Shofer FS, Hollander JE. ED crowding is associated with variable perceptions of care compromise. 2007;14: 1176-1181.



- [186] Ducharme J, Neilson S, Ginn JL. Can urine cultures and reagent test strips be used to diagnose urinary tract infection in elderly emergency department patients without focal urinary symptoms?. [Erratum appears in CJEM. 2007 Jul;9(4):285]. CJEM Canadian Journal of Emergency Medical Care. 2007;9: 87-92.
- [187] Caplan GA, Meller A, Squires B, Chan S, Willett W. Advance care planning and hospital in the nursing home. Age Ageing. 2006;35: 581-585.
- [188] McCusker J, Verdon J. Do Geriatric Interventions Reduce Emergency Department Visits? A Systematic Review. J Gerontol A Biol Sci Med Sci. 2006;61: 53-62.
- [189] Vandewoude MF GC, d'Hooghe AH, Paridaens KM,. A screening tool to identify older people at risk of adverse health outcomes at the time of hospital admission. Tijdschr Gerontol Geriatr. 2006: 203-209.
- [190] Beland F, Bergman H, Lebel P, et al. A system of integrated care for older persons with disabilities in Canada: results from a randomized controlled trial.[see comment]. Journals of Gerontology Series A-Biological Sciences & Medical Sciences. 2006;61: 367-373.
- [191] Rhodes KV, Drum M, Anliker E, Frankel RM, Howes DS, Levinson W. Lowering the threshold for discussions of domestic violence: a randomized controlled trial of computer screening. Archives of Internal Medicine. 2006;166: 1107-1114.
- [192] Fidler H, Thompson C, Freeman A, Hogan D, Walker G, Weinman J. Barriers to implementing a policy not to attempt resuscitation in acute medical admissions: prospective, cross sectional study of a successive cohort. BMJ. 2006;332: 461-462.
- [193] Gravelle H, Dusheiko M, Sheaff R, et al. Impact of case management (Evercare) on frail elderly patients: controlled before and after analysis of quantitative outcome data. BMJ. 2006: bmj.39020.413310.413355.
- [194] Lang P-O, Heitz D, Hedelin G, et al. Early markers of prolonged hospital stays in older people: a prospective, multicenter study of 908 inpatients in French acute hospitals.[Erratum appears in J Am Geriatr Soc. 2006 Sep;54(9):1479-80]. Journal of the American Geriatrics Society. 2006;54: 1031-1039.
- [195] Bottle A, Aylin P, Majeed A. Identifying patients at high risk of emergency hospital admissions: a logistic regression analysis. Journal of the Royal Society of Medicine. 2006;99: 406-414.
- [196] Jezewski MA, Meeker MA, Robillard I. What is needed to assist patients with advance directives from the perspective of emergency nurses. Journal of Emergency Nursing. 2005;31: 150-155.

- [197] Young JB, Robinson M, Chell S, et al. A whole system study of intermediate care services for older people. *Age Ageing*. 2005;34: 577-583.
- [198] Caplan GA, Coconis J, Woods J. Effect of hospital in the home treatment on physical and cognitive function: a randomized controlled trial. *Journals of Gerontology Series A-Biological Sciences & Medical Sciences*. 2005;60: 1035-1038.
- [199] Basic D, Conforti DA. A prospective, randomised controlled trial of an aged care nurse intervention within the Emergency Department. *Australian Health Review*. 2005;29: 51-59.
- [200] Downing AW, R,. Older people's use of Accident and Emergency services. *Age & Ageing*. 2005: 24-30.
- [201] Schwebel G, Manciaux M, Baumann C. Visits to emergency department by the elderly of homes for the aged. *Revue de Geriatrie*. 2005;30: 547-556.
- [202] Lindholt JS, Juul S, Fasting H, Henneberg EW. Screening for abdominal aortic aneurysms: single centre randomised controlled trial.[see comment][erratum appears in *BMJ*. 2005 Oct 15;331(7521):876]. *BMJ*. 2005;330: 750.
- [203] Kim LG, Scott RAP, Thompson SG, et al. Implications of screening for abdominal aortic aneurysms on surgical workload. *British Journal of Surgery*. 2005;92: 171-176.
- [204] Budnitz DS, Pollock DA, Mendelsohn AB, Weidenbach KN, McDonald AK, Annest JL. Emergency department visits for outpatient adverse drug events: demonstration for a national surveillance system. *Annals of Emergency Medicine*. 2005;45: 197-206.
- [205] Roland M, Dusheiko M, Gravelle H, Parker S. Follow up of people aged 65 and over with a history of emergency admissions: analysis of routine admission data. *BMJ*. 2005;330: 289-292.
- [206] Holland R, Lenaghan E, Harvey I, et al. Does home based medication review keep older people out of hospital? The HOMER randomised controlled trial. *BMJ*. 2005;330: 293-.
- [207] Boockvar KS, Gruber-Baldini AL, Burton L, Zimmerman S, May C, Magaziner J. Outcomes of Infection in Nursing Home Residents with and without Early Hospital Transfer. *J Am Geriatr Soc*. 2005;53: 590-596.
- [208] Walker L, Jamrozik K, Wingfield D, Lawley G. Increased use of emergency services by older people after health screening. *Age Ageing*. 2005;34: 480-485.
- [209] Sinclair AJ, Conroy SP, Davies M, Bayer AJ. Post-discharge home-based support for older cardiac patients: a randomised controlled trial. *Age & Ageing*. 2005;34: 338-343.

- [210] Kihlgren A, Nilsson, M., Sorlie, V. Caring for older patients at an emergency department - emergency nurses' reasoning. *Journal of Clinical Nursing*. 2005;14: 601-608.
- [211] Extermann M, Aapro M, Bernabei R, et al. Use of comprehensive geriatric assessment in older cancer patients:: Recommendations from the task force on CGA of the International Society of Geriatric Oncology (SIOG). *Critical Reviews in Oncology/Hematology*. 2005;55: 241-252.
- [212] Schmidt TA, Hickman SE, Tolle SW, Brooks HS. The Physician Orders for Life-Sustaining Treatment program: Oregon emergency medical technicians' practical experiences and attitudes. *Journal of the American Geriatrics Society*. 2004;52: 1430-1434.
- [213] Wissow LS, Belote A, Kramer W, Compton-Phillips A, Kritzer R, Weiner JP. Promoting advance directives among elderly primary care patients. *Journal of General Internal Medicine*. 2004;19: 944-951.
- [214] Rabow MW, Dibble SL, Pantilat SZ, McPhee SJ. The comprehensive care team: a controlled trial of outpatient palliative medicine consultation. *Archives of Internal Medicine*. 2004;164: 83-91.
- [215] Dendukuri N, McCusker J, Belzile E. The identification of seniors at risk screening tool: further evidence of concurrent and predictive validity. *Journal of the American Geriatrics Society*. 2004;52: 290-296.
- [216] Scott JC, Conner DA, Venohr I, et al. Effectiveness of a group outpatient visit model for chronically ill older health maintenance organization members: a 2-year randomized trial of the cooperative health care clinic. *Journal of the American Geriatrics Society*. 2004;52: 1463-1470.
- [217] Challis D, Clarkson P, Williamson J, et al. The value of specialist clinical assessment of older people prior to entry to care homes. *Age Ageing*. 2004;33: 25-34.
- [218] Fortinsky RH, Iannuzzi-Sucich M, Baker DI, et al. Fall-Risk Assessment and Management in Clinical Practice: Views from Healthcare Providers. *J Am Geriatr Soc*. 2004;52: 1522-1526.
- [219] Hemphill JC, III, Newman J, Zhao S, Johnston SC. Hospital Usage of Early Do-Not-Resuscitate Orders and Outcome After Intracerebral Hemorrhage. *Stroke*. 2004;35: 1130-1134.
- [220] Naess AC SP. Long term survival and costs per life year gained after out-of-hospital cardiac arrest. *Resuscitation*. 2004;60: 57-64.

- [221] Caplan GA, Williams AJ, Daly B, Abraham K. A Randomized, Controlled Trial of Comprehensive Geriatric Assessment and Multidisciplinary Intervention After Discharge of Elderly from the Emergency Department; The DEED II Study. *Journal of the American Geriatrics Society*. 2004;52: 1417-1423.
- [222] Conroy S, Kamal I, Cooper J. Troponin testing: beware pulmonary embolus. *Emergency Medicine Journal*. 2004;21: 123-124.
- [223] Brailsford S, Lattimer V, Tarnaras P, Turnbull J. Emergency and on-demand health care: modelling a large complex system. *J Opl Res Soc*. 2004;55: 34-42.
- [224] McCusker J, Dendukuri N, Tousignant P, Verdon J, Poulin de Courval L, Belzile E. Rapid two-stage emergency department intervention for seniors: impact on continuity of care.[see comment]. *Academic Emergency Medicine*. 2003;10: 233-243.
- [225] McCusker J, Jacobs P, Dendukuri N, Latimer E, Tousignant P, Verdon J. Cost-effectiveness of a brief two-stage emergency department intervention for high-risk elders: results of a quasi-randomized controlled trial. *Annals of Emergency Medicine*. 2003;41: 45-56.
- [226] Kane RL, Keckhafer G, Flood S, Bershadsky B, Siadaty MS. The effect of Evercare on hospital use. *Journal of the American Geriatrics Society*. 2003;51: 1427-1434.
- [227] Meldon SW ML, Palmer RM et al,. A brief risk-stratification tool to predict repeat emergency department visits and hospitalizations in older patients discharged from the emergency department. *Acad Emerg Med*. 2003: 224-232.
- [228] Al-Mobeireek A. The efficacy of a management protocol in reducing emergency visits and hospitalizations in chronic asthmatics. *Saudi Med J*. 2003;24: 694; author reply 694-695.
- [229] Scuffham P, Chaplin S, Legood R. Incidence and costs of unintentional falls in older people in the United Kingdom. *J Epidemiol Community Health*. 2003;57: 740-744.
- [230] Shaw FE, Bond J, Richardson DA, et al. Multifactorial intervention after a fall in older people with cognitive impairment and dementia presenting to the accident and emergency department: randomised controlled trial. *BMJ*. 2003;326: 73-.
- [231] Taylor DM, Ugoni AM, Cameron PA, McNeil JJ. Advance directives and emergency department patients: ownership rates and perceptions of use. *Intern Med J*. 2003;33: 586-592.
- [232] Rea TD, Eisenberg MS, Becker LJ, Murray JA, Hearne T. Temporal Trends in Sudden Cardiac Arrest: A 25-Year Emergency Medical Services Perspective. *Circulation*. 2003;107: 2780-2785.

- [233] Peberdy MA, Kaye W, Ornato JP, et al. Cardiopulmonary resuscitation of adults in the hospital: A report of 14720 cardiac arrests from the National Registry of Cardiopulmonary Resuscitation. *Resuscitation*. 2003;58: 297-308.
- [234] Nichol G, Valenzuela T, Roe D, Clark L, Huszti E, Wells GA. Cost Effectiveness of Defibrillation by Targeted Responders in Public Settings. *Circulation*. 2003;108: 697-703.
- [235] Mion LC, Palmer RM, Meldon SW, et al. Case finding and referral model for emergency department elders: A randomized clinical trial. *Annals of Emergency Medicine* Vol 41(1)(pp 57-68), 2003Date of Publication: 01 JAN 2003. 2003.
- [236] Gonthier R, Blanc P, Farce S, Stierlam F. [Individualization of the frail elderly people and use of health care services]. *Psychologie et Neuropsychiatrie du Vieillessement*. 2003;1: 187-196.
- [237] Hsu RT, Lambert PC, Dixon-Woods M, Kurinczuk JJ. Effect of NHS walk-in centre on local primary healthcare services: before and after observational study. *BMJ*. 2003;326: 530.
- [238] Wilber ST, Gerson LW. A research agenda for geriatric emergency medicine. *Acad Emerg Med*. 2003;10: 251-260.
- [239] Liew D, Kennedy M. Emergency Department Length of Stay Independently Predicts Inpatient Length of Stay. *Medical Journal of Australia*. 2003: 524-552.
- [240] Kakuma R, du Fort G, Arsenault L, et al. Delirium in older emergency department patients discharged home: effect on survival. *J Am Geriatr Soc*. 2003;51: 443-450.
- [241] Thummler C. Emergency medicine in an ageing society. *European Journal of Geriatrics*. 2002;4: 127-130.
- [242] Ashton HA, Buxton MJ, Day NE, et al. The Multicentre Aneurysm Screening Study (MASS) into the effect of abdominal aortic aneurysm screening on mortality in men: a randomised controlled trial.[see comment]. *Lancet*. 2002;360: 1531-1539.
- [243] Multicentre Aneurysm Screening Study G. Multicentre aneurysm screening study (MASS): cost effectiveness analysis of screening for abdominal aortic aneurysms based on four year results from randomised controlled trial.[see comment]. *BMJ*. 2002;325: 1135.
- [244] Eidelman Y, Raveh D, Yinnon AM, Ballin J, Rudensky B, Gottehrer NP. Reagent strip diagnosis of UTI in a high-risk population. *American Journal of Emergency Medicine*. 2002;20: 112-113.
- [245] McCusker J, Verdon J, Tousignant P, de Courval LP, Dendukuri N, Belzile E. Rapid emergency department intervention for older people reduces risk of functional decline:

results of a multicenter randomized trial.[see comment]. *Journal of the American Geriatrics Society*. 2001;49: 1272-1281.

[246] Hardy C, Whitwell D, Sarsfield B, Maimaris C. Admission avoidance and early discharge of acute hospital admissions: an accident and emergency based scheme. *Emergency Medicine Journal*. 2001;18: 435-440.

[247] Kenny RA, Richardson DA, Steen N, Bexton RS, Shaw FE, Bond J. Carotid sinus syndrome: a modifiable risk factor for nonaccidental falls in older adults (SAFE PACE).[see comment]. *Journal of the American College of Cardiology*. 2001;38: 1491-1496.

[248] Mower WR, Hoffman JR, Pollack CV, Jr., et al. Use of plain radiography to screen for cervical spine injuries. *Annals of Emergency Medicine*. 2001;38: 1-7.

[249] Coppola KM, Ditto PH, Danks JH, Smucker WD. Accuracy of Primary Care and Hospital-Based Physicians' Predictions of Elderly Outpatients' Treatment Preferences With and Without Advance Directives. *Arch Intern Med*. 2001;161: 431-440.

[250] Leung LP WT, Tong HK, Lo CB, Kan PG. Out-of-hospital cardiac arrest in Hong Kong. *Prehospital Emergency Care*. 2001;5: 308-311.